

**2017 (15)**

- Guetlein A., Gerschlauser F., Kikoti I., **Kiese R.** (2017). Impacts of climate and land use on N<sub>2</sub>O and CH<sub>4</sub> fluxes from tropical ecosystems in the Mt. Kilimanjaro region, Tanzania. *Global Change Biology*, accepted.
- Dirnböck T., Foldal C., Djukic I., Kobler J., Haas E., **Kiese R.**, Kitzler B. (2017). Historic nitrogen deposition determines future climate change effects on nitrogen retention in temperate forests. *Climatic Change*. DOI 10.1007/s10584-017-2024-y.
- Houska T., Kraus D., **Kiese R.**, Breuer L. (2017). Constraining a complex biogeochemical model for CO<sub>2</sub> and N<sub>2</sub>O emission simulations from various land uses by model-data fusion. *Biogeosciences* 14, 3487-3508.
- Fu J., Gasche R., Wang N., Lu H., Butterbach-Bahl K., **Kiese R.** 2017. Impacts of climate and management on water balance and nitrogen leaching from montane grassland soils of S-Germany. *Environmental Pollution* 229, 119-131.
- Becker J., Guetlein A., Sierra Cornejo N., **Kiese R.**, Hertel D., Kuzyakov Y. 2017. Legume and non-legume trees increase soil carbon sequestration in Savanna. *Ecosystems*, DOI: 10.1007/s10021-016-0087-7.
- Kuhnert M., Yeluripati J., Smith P., Hoffmann H., van Oijen M., Constantin J., Coucheney E., Dechow R., Eckersten H., Gaiser T., Grosz B., Haas E., Kersebaum K.-C., **Kiese R.**, Klatt S., Lewan E., Nendel C., Raynal H., Sosa C., Specka X., Teixeira E., Wang E., Weihermüller L., Zhao G., Zhao Z., Ogle S., Ewert F. 2017. Impact analysis of climate data aggregation at different spatial scales on simulated net primary productivity for croplands. *European Journal of Agronomy*, doi:10.1016/j.eja.2016.06.005.
- Molina-Herrera S., Haas E., Grote R., **Kiese R.**, Klatt S., Kraus D., Kampffmeyer T., Friedrich R., Andreae H., Loubet B., Ammann C., Horvath L., Larsen K., Gruening C., Frumau A., Butterbach-Bahl K. 2017. Importance of soil NO emissions for the total atmospheric NO<sub>x</sub> budget of Saxony, Germany. *Atmospheric Environment* 152, 61-76.
- Wolf B., Chwala C., Fersch B., Garvelmann J., Junkermann W., Zeeman M.J., Dannenmann, M., Haas, E., **Kiese R.**, et al. 2017. THE SCALEX CAMPAIGN Scale-Crossing Land Surface and Boundary Layer Processes in the TERENO-preAlpine Observatory. *Bulletin of the American Meteorological Society* 98, 1217-1234.
- Houska T., Kraft, P., Liebermann R., Klatt S., Kraus D., Haas E., Santabarbara I., **Kiese R.**, Butterbach-Bahl K., Mueller C., Breuer L. 2017. Rejecting hydro-biogeochemical model structures by multi-criteria evaluation. *Environmental Modelling and Software* 93, 1-12.
- Schellenberger Costa D., Gerschlauser F., Pabst H., Kühnel A., Huwe B., **Kiese R.**, Kuzyakov Y., Kleyer M. 2017. Community-weighted means and functional dispersion of plant functional traits along environmental gradients on Mount Kilimanjaro. *Journal of Vegetation Science*.
- Jones S.K., Helfter C., Anderson M., Coyle M., Campbell C., Famulari D., Di Marco C., van Dijk N., Tang Y.S., Topp C.F., **Kiese R.**, Kindler R., Siemens J., Schrupf M., Kaiser K., Nemitz E., Levy P.E., Rees R.M., Sutton M.A., Skiba U.M. 2017. The nitrogen, carbon and greenhouse gas budget of a grazed, cut and fertilised temperate grassland. *Biogeosciences*, 14, 2069–2088.
- Remya E., Gasche R., **Kiese R.**, Wuyts K., Verheyena K., Boeckx P. 2016. Edge effects on N<sub>2</sub>O, NO and CH<sub>4</sub> fluxes in two temperate forests. *Science of the total Environment* 575, 1150–1155.
- Denk T., Mohn J., Decock C., Lewicka-Szczebak D., Harris E., Butterbach-Bahl K., **Kiese R.**, Wolf B. 2017. The nitrogen cycle: A review of isotope effects and isotope modeling approaches. *Soil Biology and Biochemistry* 105, 121-137.
- Klatt S., Kraus D., Kraft P., Breuer L., Wlotzka M., Heuveline V., Haas E., **Kiese R.**, Butterbach-Bahl K. 2017. Exploring impacts of vegetated buffer strips on nitrogen cycling using a spatially explicit hydro-biogeochemical modeling approach. *Environmental Modelling and Software* 90, 55-67.

Guetlein A., Zistl-Schlingmann M., Becker J.N., Cornejo N.S., Detsch F., Dannenmann M., Appelhans T., Hertel D., Kuzyakov Y., **Kiese R.** 2017. Nitrogen turnover and greenhouse gas emissions in a tropical alpine ecosystem at Mt. Kilimanjaro, Tanzania. *Plant and Soil*, DOI: 10.1007/s11104-016-3029-4.

#### 2016 (14)

Wen Y., Chen Z., Dannenmann M., Carminati A., Willibald G., **Kiese R.**, Wolf B., Veldkamp E., Butterbach-Bahl K., Corre M.D. 2016. Disentangling gross N<sub>2</sub>O production and consumption in soil. *Scientific Reports* 6, DOI: 10.1038/srep36517.

Medinets S., Gasche R., Skiba U., Schindlbacher A., **Kiese R.**, Butterbach-Bahl K. 2016. Cold season soil NO fluxes from a temperate forest: drivers and contribution to annual budgets. *Environmental Research Letters* 11, DOI: 10.1088/1748-9326/11/11/114012.

Puetz, T., **Kiese R.**, Wollschlaeger U., Groh J., Rupp H., Zacharias S., Priesack E., Gerke H.H. Gasche R., Bens O., Borg E., Baessler C., Kaiser K., Herbrich M., Munch J.C. Sommer M., Vogel H.J. Vanderborcht J., Vereecken H. 2016. TERENO-SOILCan: a lysimeter-network in Germany observing soil processes and plant diversity influenced by climate change. *Environmental Earth Sciences* 75, DOI: 10.1007/s12665-016-6031-5.

Kraus D., Weller S., Klatt S., Santabárbara I., Haas E., Wassmann R., Werner C., **Kiese R.**, Butterbach-Bahl K. 2016. How well can we assess impacts of agricultural land management changes on the total greenhouse gas balance (CO<sub>2</sub>, CH<sub>4</sub> and N<sub>2</sub>O) of tropical rice-cropping systems with a biogeochemical model? *Agriculture Ecosystem and Environment* 224, 104-115.

Zhao G., Hoffmann H., Yeluripati J., Xenia S., Nendel C., Coucheney E., Kuhnert M., Tao F., Constantin J., Raynal H., Teixeira E., Grosz B., Doro L., **Kiese R.**, Eckersten H., Haas E., Cammarano D., Kassie B., Moriondo M., Trombi B., Bindi M., Biernath C., Heinlein F., Klein C., Priesack E., Lewan E., Kersebaum K.-C., Rötter R., Roggero P.P., Wallach D., Asseng S., Siebert S., Gaiser T., Ewert F. 2016. Evaluating the precision of eight spatial sampling schemes in estimating regional means of simulated yield for two crops. *Environmental Modelling and Software* 80, 100-112.

Wang C., Chen Z., Unteregelsbacher S., Lu H., Gschwendtner S., Kolar A., **Kiese R.**, Schlöter M., Butterbach-Bahl K., Dannenmann M. 2016. Climate change amplifies gross nitrogen turnover in montane grasslands of Central Europe both in summer and winter seasons. *Global Change Biology*, in press (online first), DOI: 10.1111/gcb.13353.

Gerschlauber F., Dannenmann M., Kühnel A., Meier R., Kolar A., Butterbach-Bahl K., **Kiese R.** 2016. Gross Nitrogen Turnover of Natural and Manged Tropical Ecosystems at Mt. Kilimanjaro, Tanzania. *Ecosystems*, DOI:10.1007/s10021-016-0001-3.

Dirnböck T., Kobler J., Kraus D., Grote R., **Kiese R.**, 2016. Impacts of management and climate change on nitrate leaching in a forested karst area. *Journal of Environmental Management* 165, 243–252.

Guetlein A., Dannenmann M., **Kiese R.**, 2016. Gross nitrogen turnover rates of a tropical lower montane forest soil: Impacts of sample preparation and storage. *Soil Biology & Biochemistry* 95, 8-10.

Molina-Herrera S, Haas E, Klatt S, Kraus D., Augustin J., Magliulo V., Tallec T., Ceschia E., Ammann C., Lubet B., Skiba U., Jones S., Brümmer C., Butterbach-Bahl, **Kiese R.** 2016. A modeling study on mitigation of N<sub>2</sub>O emissions and NO<sub>3</sub> leaching at different agricultural sites across Europe using LandscapeDNDC. *Science of the Total Environment* 553, 128-140.

Weller S., Janz B., Jörg L., Kraus D., Racela H.S.U., Butterbach-Bahl K., Wassmann R., **Kiese R.**, 2016. Greenhouse gas emissions and global warming potential of traditional and diversified tropical rice rotation systems. *Global Change Biology* 22, 432-446.

Díaz-Pinés E., Heras P., Gasche R., Rubio A., Rennenberg H., Butterbach-Bahl K., **Kiese R.**, 2016. Nitrous oxide emissions from stems of ash (*Fraxinus angustifolia* Vahl) and European beech (*Fagus sylvatica* L.). *Plant and Soil* 398, 35-45.

Klatt S. Kraus D., Rahn KH. Werner C., **Kiese R.**, Butterbach-Bahl K., Haas E. 2016. Parameter Induced Uncertainty Quantification of Regional N<sub>2</sub>O Emissions and NO<sub>3</sub> Leaching using the Biogeochemical Model LandscapeDNDC

Pabst H., Gerschlauber F., **Kiese R.** Kuzyakov Y. 2016. Land Use and Precipitation Affect Organic and

Microbial Carbon Stocks and the Specific Metabolic Quotient in Soils of Eleven Ecosystems of Mt. Kilimanjaro, Tanzania. *Land Degradation and Development* 27, 592-602.

#### 2015 (8)

Hoffmann H., Haas E., **Kiese R.**, Klatt S., et al. 2015. Variability of effects of spatial climate data aggregation on regional yield simulation by crop models. *Climate Research* 65, 53-69.

Zhao G., Hoffmann H., **Kiese R.**, Haas E., et al., 2015. Effect of weather data aggregation on regional crop simulation for different crops, production conditions, and response variables. *Climate Research* 65, 141-157.

Barton L., Wolf B., Rowlings D., Scheer C., **Kiese R.**, Grace P., Stefanova K., Butterbach-Bahl K., 2015. Sampling frequency affects estimates of annual nitrous oxide fluxes. *Scientific Reports* 5, DOI: 10.1038/srep15912.

Zhang W., Liu C., Zheng X., Zhou Z., Cui F., Zhu B., Haas E., Klatt S., Butterbach-Bahl K., **Kiese R.**, 2015. Comparison of the DNDC, LandscapeDNDC and IAP-N-GAS models for simulating nitrous oxide and nitric oxide emissions from the winter wheat-summer maize rotation system. *Agricultural Systems* 140, 1-10.

Weller S., Kraus D., Butterbach-Bahl K., Wassmann R., Tirol-Padre A., **Kiese R.**, 2015. Diurnal patterns of methane emissions from paddy rice fields in the Philippines. *Journal of Plant Nutrition and Soil Science* 178, 755-767.

Kim Y., Seo Y., Kraus D., Klatt S., Haas E., Tenhunen J., **Kiese R.**, 2015. Estimation and mitigation of N<sub>2</sub>O emission and nitrate leaching from intensive crop cultivation in the Haean catchment, South Korea. *Science of the Total Environment* 529, 40-53.

Molina-Herrera S., Grote R., Santabarbara-Ruiz I., Kraus D., Klatt S., Haas E., **Kiese R.**, Butterbach-Bahl K., 2015. Simulation of CO<sub>2</sub> Fluxes in European Forest Ecosystems with the Coupled Soil-Vegetation Process Model "LandscapeDNDC". *Forests* 6, 1779-1809.

Kraus D., Weller S., Klatt S., Haas E., Wassmann R., **Kiese R.**, Butterbach-Bahl K., 2015. A new LandscapeDNDC biogeochemical module to predict CH<sub>4</sub> and N<sub>2</sub>O emissions from lowland rice and upland cropping systems. *Plant and Soil* 386, 125-149.

#### 2014 (4)

Kim Y., Berger S., Kettering J., Tenhunen J., Haas E., **Kiese R.**, 2014. Simulation of N<sub>2</sub>O emissions and nitrate leaching from plastic mulch radish cultivation with LandscapeDNDC. *Ecological Research* 29, 441-454.

Weller S., Kraus D., Ayag K., Wassmann R., Alberto M., Butterbach-Bahl K., **Kiese R.**, 2014. Methane and nitrous oxide emissions from rice and maize production in diversified rice cropping systems. *Nutrient Cycling in Agroecosystems* 101, 37-53.

Gharahi Ghehi, N., Werner C., Hufkens K., **Kiese R.**, Van Ranst E., Nsabimana D., Wallin G., Klemetsson L., Butterbach-Bahl K., Boeckx P., (2014). N<sub>2</sub>O and NO emission from the Nyungwe tropical highland rainforest in Rwanda. *Geoderma Regional* 2-3, 41-49.

Nyckowiak J., Lesny J., Merbold L., Niu S., Haas E., Haas E., **Kiese R.**, Butterbach-Bahl K., Olejnik J., 2014. Direct N<sub>2</sub>O emission from agricultural soils in Poland between 1960 and 2009. *Regional Environmental Change* 14, 1073-1082.

#### 2013 (10)

Rosenstock T.S., Diaz-Pines E., Zuazo P., Jordan G., Predotova M., Mutuo P., Abwanda S., Thiong'o M., Buerkert A., Rufino, M.C., **Kiese R.**, Neufeldt H., Butterbach-Bahl K., 2013. Accuracy and precision of photoacoustic spectroscopy not guaranteed. *Global Change Biology* 19, 3565-3567.

Arias-Navarro C., Diaz-Pines E., **Kiese R.**, Rosenstock T.S., Rufino M.C., Stern D., Neufeldt H., Verchot L.V., Butterbach-Bahl K. 2013., Gas pooling: A sampling technique to overcome spatial heterogeneity of soil carbon dioxide and nitrous oxide fluxes. *Soil Biology and Biochemistry* 67, 20-23.

Rowlings D. W., Grace, P. R; Scheer C., **Kiese R.**, 2013. Influence of nitrogen fertiliser application and timing on greenhouse gas emissions from a lychee (*Litchi chinensis*) orchard in humid subtropical Australia. *Agriculture Ecosystems and Environment* 179, 168-178.

Unteregelsbacher S., Gasche R., Lipp L., Sun W., Kreyling O., Geitlinger H., Kogel-Knabner I., Papen H., **Kiese R.**, Schmid H.P., Dannenmann M., 2013. Increased methane uptake but unchanged nitrous oxide flux in montane grasslands under simulated climate change conditions. *European Journal of Soil Science* 64, 586-596.

Luo G.J., **Kiese R.**, Wolf, B., Butterbach-Bahl K., 2013 Effects of soil temperature and moisture on methane uptake and nitrous oxide emissions across three different ecosystem types. *Biogeosciences* 10, 3205-3219.

Butterbach-Bahl K., **Kiese R.** 2013. BIOENERGY Biofuel production on the margins. *Nature* 493, 483-485.

Butterbach-Bahl K., Baggs E., Dannenmann M., **Kiese R.**, Zechmeister-Boltenstern S. 2013. Nitrous oxide emissions from soils: how well do we understand the processes and their controls? *Philosophical transactions of the Royal Society of London. Series B, Biological sciences* 368, 20130122.

Haas E., **Kiese R.**, Butterbach-Bahl K. et al. 2013. LandscapeDNDC: a process model for simulation of biosphere atmosphere–hydrosphere exchange processes at site and regional scale. *Landscape Ecol.* 28, 615-636.

Cameron D., van Oijen M., Werner C., Butterbach-Bahl K., Grote R., Haas E., **Kiese R.**, et al. 2013. Environmental change impacts on the C- and N-cycle of European forests: a model comparison study. *Biogeosciences* 10, 1751-1773.

Nyckowiak J., Lesny J., Juszczak R., Olejnik J., Blecharczyk A., Haas E., **Kiese R.**, Butterbach-Bahl K. 2013. Application of LandscapeDNDC Model for Simulating Soil Water Content and Crop Yield Quantity. *ROZNIK OCHRONA SRODOWISKA* 15, 1937-1951.

## 2012 (4)

Rowlings D.W., Grace P.R., **Kiese R.**, Weier K.L. 2012. Environmental factors controlling temporal and spatial variability in the soil-atmosphere exchange of CO<sub>2</sub>, CH<sub>4</sub> and N<sub>2</sub>O from an Australian subtropical rainforest. *Global Change Biology* 18, 726-738.

Rahn K-H., Werner C., **Kiese R.**, Haas E., Butterbach-Bahl K. 2012. Parameter-induced uncertainty quantification of soil N<sub>2</sub>O, NO and CO<sub>2</sub> emission from Höglwald spruce forest (Germany) using the LandscapeDNDC model. *Biogeosciences* 9, 3983-3998.

Ghehi N.G., Werner C., Ntaboba L.C., Muninda J.J.M., van Ranst E., Butterbach-Bahl K., **Kiese R.**, Boeckx P. 2012. Spatial variations of nitrogen trace gas emissions from tropical mountain forests in Nyungwe, Rwanda. *Biogeosciences* 9, 1451-1463.

Wolf B., **Kiese R.**, Chen W.W., Grote R., Zheng X.H., Butterbach-Bahl K. (2012). Modeling N<sub>2</sub>O emissions from steppe in Inner Mongolia, China, with consideration of spring thaw and grazing intensity. *Plant and Soil* 350, 297-310.

## 2011 (10)

Zacharias S., Bogena H., Samaniego L., Mauder M., Kiese R., et al., 2011. A network of terrestrial environmental observatories in Germany. *Vadose Zone Journal* 10, 955-973.

Lisboa C., Butterbach-Bahl K., Mauder M., **Kiese R.** 2011. Bioethanol production from sugarcane and emissions of greenhouse gases – known and unknowns. *Global Change Biology Bioenergy* 3, 277-292.

Wang W., Dalal R., Reeves S., Butterbach-Bahl K., **Kiese R.** 2011. Greenhouse gas fluxes from an Australian subtropical cropland under long-term contrasting management regimes. *Global Change Biology* 17, 3098-3101.

Blagodatzky S., Grote R., **Kiese R.**, Werner C., Butterbach-Bahl K. 2011. Modelling of microbial carbon and nitrogen turnover in soil with special emphasis on N-trace gases emission. *Plant and Soil* 346, 297-330.

**Kiese R.**, Heinzeller C., Werner C., Wochele S., Grote R., Butterbach-Bahl K. 2011. Quantification of nitrate leaching from German forest ecosystems by use of a process oriented biogeochemical model. *Environmental Pollution* 159, 3204-3014.

Van Oijen M., Cameron D.R., Butterbach-Bahl K., Farahbakhshazad N., Jansson P.E., **Kiese R.**, Rahn K.H., Werner C., Yeluripati J.P. 2011. A Bayesian framework for model calibration, comparison and analysis: Application to four models for the biogeochemistry of a Norway spruce forest. *Agriculture and Forest Meteorology* 151, 1609-1621.

Chirinda N., Kracher D., Laegdsmand M., Porter J.R., Olesen J.E., Petersen B.M., Doltra J., **Kiese R.**, Butterbach-Bahl K. 2011. Simulating soil N<sub>2</sub>O emissions and heterotrophic CO<sub>2</sub> respiration in arable systems using FASSET and MoBILE-DNDC. *Plant and Soil*, 343, 139-169.

Butterbach-Bahl K., **Kiese R.**, Liu C.Y., 2011. Measurements of biosphere-atmosphere exchange of CH<sub>4</sub> in terrestrial ecosystems. *Methods in Enzymology* 495, 271-287.

Grote R., **Kiese R.**, Grunwald T., Ourcival J.M., Granier A., 2011. Modelling forest carbon balances considering tree mortality and removal. *Agriculture and forest Meteorology* 151, 179-190.

Barton L., Butterbach-Bahl K., **Kiese R.**, Murphy D.V. 2011. Nitrous oxide fluxes from a grain-legume crop (narrow-leafed lupin) grown in a semiarid climate. *Global Change Biology* 17, 1153-1166.

### 2010 (3)

Pihlatie, M.K., **Kiese R.**, Brüggemann N., Butterbach-Bahl K., Kieloaho A.-J., Laurila T., Lohila A., Mammarella I., Minkinen K., Penttilä T., Schönborn J., Vesala T. 2010: Greenhouse gas fluxes in a drained peatland forest during spring frost-thaw event. *Biogeosciences* 7, 1715-1727.

Mammarella I., Werle P., Pihlatie M., Eugster W., Haapanala S., **Kiese R.**, Markkanen T., Rannik Ü., and Vesala T. 2010. A case study of eddy covariance flux of N<sub>2</sub>O measured within forest ecosystems: quality control and flux error analysis, *Biogeosciences*, 7, 427-440.

Barton L., Murphy D.V., **Kiese R.**, Butterbach-Bahl K. 2010. Soil nitrous oxide and methane fluxes are low from a bioenergy crop (canola) grown in a semi-arid climate. *Global Change Biology Bioenergy* 2, 1-15.

### 2009 (2)

Butterbach-Bahl K., Kahl M., Mykhayliv L., Werner C., **Kiese R.**, Li C. 2009. A European-wide inventory of soil NO emissions using the biogeochemical models DNDC/Forest-DNDC. *Atmospheric Environment*, 43, 1392-1402.

Livesley S., **Kiese R.**, Miehe P., Weston C., Butterbach-Bahl K., Arndt S. 2009. Soil-atmosphere exchange of greenhouse gases in a *Eucalyptus marginata* woodland, a clover-grass pasture, and *Pinus radiata* and *Eucalyptus globulus* plantations. *Global Change Biology*, 15, 425-440.

### 2008 (4)

**Kiese R.**, Wochele S., Butterbach-Bahl K. 2008, Site specific and regional estimates of methane uptake by tropical rainforest soils of north-eastern Australia, *Plant and Soil*, 309 105-117.

**Kiese R.**, Hewett B., Butterbach-Bahl K. 2008, Seasonal dynamic of gross nitrification and N<sub>2</sub>O emission at two tropical rainforest sites in Queensland, Australia, *Plant and Soil*, 309, 211-226.

Barton L., **Kiese R.**, Gatter D., Butterbach-Bahl K., Buck R., Hinz C., Murphy D., 2008. Nitrous oxide emissions from a cropped soil in a semi-arid climate. *Global Change Biology*, 14, 177-192.

Livesley S., **Kiese R.**, Graham J., Weston C., Butterbach-Bahl K., Arndt S., 2008. Trace gas flux and the influence of short-term soil water and temperature dynamics in Australian sheep grazed pastures of differing productivity. *Plant and Soil*, 309, 89-103.

## 2007 (2)

Werner C., Butterbach-Bahl K., Haas E., Hickler T., **Kiese R.**, 2007. A global inventory of N<sub>2</sub>O emissions from tropical rainforest soils using a detailed biogeochemical model. *Global Biogeochemical Cycles* 21, DOI: 10.1029/2006GB002909.

Werner C., **Kiese R.**, Butterbach-Bahl K., 2007. Soil-atmosphere exchange of N<sub>2</sub>O, CH<sub>4</sub>, and CO<sub>2</sub> and controlling environmental factors for tropical rain forest sites in western Kenya. *Journal of Geophysical Research Atmosphere* 112, DOI: 10.1029/2006JD007388.

## 2006 (4)

Werner C., Zheng X., Tang J., Xie., Liu C., **Kiese R.**, Butterbach-Bahl K., 2006. N<sub>2</sub>O, CH<sub>4</sub> and CO<sub>2</sub> emissions from seasonal tropical rainforests and a rubber plantation in Southwest China. *Plant and Soil* 289, 335-353.

Saiz G., Green C., Butterbach-Bahl K., **Kiese R.**, Avitabile V., Farrell E., 2006. Seasonal and spatial variability of soil respiration in four Sitka spruce stands. *Plant and Soil* 287, 161-176.

Kesik M., Brüggemann N., Forkel R., **Kiese R.**, Knoche R., Li C., Seufert G., Simpson D., Butterbach-Bahl K., 2006, Future Scenarios of N<sub>2</sub>O and NO emissions from European forest soils. *J. Geophys. Res.*, 111, G02018, doi:10.1029/2005JG000115.

Saiz G., Byrne K., Butterbach-Bahl K., **Kiese R.**, Blujdea V., Farrell E.P., 2006, Stand age related effects on soil respiration in a first rotation Sitka spruce chronosequence in central Ireland. *Global Change Biol.*, 12, 1007-1020, doi:10.1111/j.1365-2486.2006.01145.x.

## 2005 (5)

Kesik M., Ambus P., Baritz R., Brüggemann N., Butterbach-Bahl K., Damm M., Duyzer J., Horváth L., **Kiese R.**, Kitzler B., Leip A., Li C., Pihlatie M., Pilegaard K., Seufert G., Simpson D., Skiba U., Smiatek G., Vesala T., Zechmeister-Boltenstern S., 2005, Inventories of N<sub>2</sub>O and NO emissions from European forest soils. *Biogeosciences*, 2, 353-375.

**Kiese R.**, Li C., Hilbert W., Papen H., Butterbach-Bahl K., 2005. Regional application of PnET-N-DNDC for estimating the N<sub>2</sub>O source strength of tropical rainforests in the Wet Tropics of Australia. *Global Change Biology* 11, 128-144.

**Kiese R.**, Butterbach-Bahl K., 2005, Klimarelevanz erhöhter Stickstoffeinträge in Waldökosysteme. *Beitr. Forstwirtsch. U. Landsch.ökol.* 38, 127-131.

Butterbach-Bahl K., **Kiese R.** 2005. Prozessorientierte Modellierung des N-Kreislauf in naturnahen Ökosystemen. *Beitr. Forstwirtsch. U. Landsch.ökol.* 38, 113-119.

Butterbach-Bahl K., **Kiese R.** 2005. Significance of forests as sources for N<sub>2</sub>O and NO. In: *Trees and Soil Interactions. Implications to Global Climate Change* (D. Binkley and O. Menyailo, eds.), pp. 173-192, Kluwer Academic Publishers, Dordrecht, The Netherlands.

## 2004 (1)

Butterbach-Bahl K., Kock M., Willibald G., Hewett B., Buhagiar S., Papen H., **Kiese R.**, 2004. Temporal variations of fluxes of NO, NO<sub>2</sub>, N<sub>2</sub>O, CO<sub>2</sub>, and CH<sub>4</sub> in a tropical rain forest ecosystem. *Global Biogeochem. Cycl.*, 18, GB3012 10.1029/2004GB002243.

### **2003 (1)**

**Kiese R.**, Hewett B., Graham A., Butterbach-Bahl K., 2003. Seasonal variability of N<sub>2</sub>O emissions and CH<sub>4</sub> uptake by tropical rainforest soils of Queensland, Australia, *Global Biogeochemical Cycles* 17, 1043 10.1029/2002GB002014, 2003.

### **2002 (3)**

**Kiese R.**, Butterbach-Bahl K., 2002. N<sub>2</sub>O and CO<sub>2</sub> emissions from three different tropical forest sites in the wet tropics of Queensland, Australia, *Soil Biology Biochemistry*, 34, 975-987.

**Kiese R.**, Papen H., Zumbusch E., Butterbach-Bahl K., 2002. Nitrification activity in tropical rain forest soils of the Coastal Lowlands and Atherton Tablelands, Queensland, Australia, *Journal of Plant Nutrition and Soil Science* 165, 682-685.

Breuer L., **Kiese R.**, Butterbach-Bahl K., 2002. Temperature and moisture effects on Nitrification rates in tropical rain-forest soils, *Soil Science Society American Journal* 66, 834-844.

### **2001 (1)**

Eisele M., **Kiese R.**, Krämer A., Leibundgut C., 2001. Application of a catchment water quality model for assessment and prediction of nitrogen budgets, *Physics and Chemistry of the Earth* 26, 547-551.